

# C-Type Clamps

## Product Description

### Product Specification

Model No	Description	Hanger Rod Size, in (mm)	Nominal Pipe Size		Remarks
			in	(mm)	
SD-CBC 210 MI	Beam Clamp	3/8 (10)	3/4 through 4	(20 through 100)	a
SD-CBC 210 DI	Beam Clamp	3/8 (10)	3/4 through 4	(20 through 100)	a
SD-CBC 110 MI	Beam Clamp	3/8 (10)	3/4 through 4	(20 through 100)	a
SD-CBC 110 DI	Beam Clamp	3/8 (10)	3/4 through 4	(20 through 100)	a
SD-CBCA 110 DI	Beam Clamp	3/8 (10)	3/4 through 4	(20 through 100)	b
SD-CBC 115 MI	Beam Clamp	1/2 (12)	5 through 8	(125 through 200)	a
SD-CBCA 115 DI	Beam Clamp	1/2 (12)	5 through 8	(125 through 200)	a

**Remarks:**

a.) Approved for use in the top and inverted beam positions.

b.) Approved for use only in the top beam position. Approval is for use with the set screw on the load side.

## Details

<b>Category</b>	Pipe Hangers, C-Type Clamps
<b>Class of Work</b>	1951 - Pipe hangers For AS Sys
<b>Approval Standard</b>	FM 1951, 1952, 1953 - Pipe Hanger Components for Automatic Sprinkler Systems
<b>Certification Type</b>	FM Approved
<b>Listing Country</b>	United Kingdom

## Company

**Shield Fire Safety and Security Ltd**

Unit 3 Endeavor Drive, Basildon, Essex, SS14 3WF, United Kingdom

United Kingdom

<http://www.shieldglobal.com>