

Rubber Support Insert

Model: SD-RSI

- Very high load bearing capacity.
- Dimensionally accurate as each pipe is moulded.
- Tongue and groove design for small size.
- Unique DOVETAIL lock for higher sizes.
- Excellent resistance to deterioration / distortion.
- Available with steel reinforcements for higher sizes.




Product Specifications:

Available Size	1/2" - 24"
Material	EPDM Rubber
Application	Water, HVAC & Fire-Fighting

Rubber Support Insert

Product Dimensions:



Nominal Pipe Size		SCH40 Steel Pipe O.D. mm	Width of Rubber Support Insert Inch	Part numbers for Rubber Support Insert Thickness								
Inch	mm			1/2 (13) Inch (mm)	3/4 (19) Inch (mm)	1 (25) Inch (mm)	1 1/4 (32) Inch (mm)	1 1/2 (38) Inch (mm)	2 (50) Inch (mm)	2 1/2 (65) Inch (mm)	3 (75) Inch (mm)	
1/2	15	21.3	25	SD-RSI01-13	SD-RSI01-19	SD-RSI01-25	SD-RSI01-32	SD-RSI01-38	SD-RSI01-50	SD-RSI01-65	SD-RSI01-75	
3/4	20	26.7	25	SD-RSI02-13	SD-RSI02-19	SD-RSI02-25	SD-RSI02-32	SD-RSI02-38	SD-RSI02-50	SD-RSI02-65	SD-RSI02-75	
1	25	33.4	25	SD-RSI03-13	SD-RSI03-19	SD-RSI03-25	SD-RSI03-32	SD-RSI03-38	SD-RSI03-50	SD-RSI03-65	SD-RSI03-75	
1 1/4	32	42.2	25	SD-RSI04-13	SD-RSI04-19	SD-RSI04-25	SD-RSI04-32	SD-RSI04-38	SD-RSI04-50	SD-RSI04-65	SD-RSI04-75	
1 1/2	40	48.3	25	SD-RSI05-13	SD-RSI05-19	SD-RSI05-25	SD-RSI05-32	SD-RSI05-38	SD-RSI05-50	SD-RSI05-65	SD-RSI05-75	
2	50	60.3	25	SD-RSI06-13	SD-RSI06-19	SD-RSI06-25	SD-RSI06-32	SD-RSI06-38	SD-RSI06-50	SD-RSI06-65	SD-RSI06-75	
2 1/2	65	73.0	38	SD-RSI07-13	SD-RSI07-19	SD-RSI07-25	SD-RSI07-32	SD-RSI07-38	SD-RSI07-50	SD-RSI07-65	SD-RSI07-75	
3	80	88.9	38	SD-RSI08-13	SD-RSI08-19	SD-RSI08-25	SD-RSI08-32	SD-RSI08-38	SD-RSI08-50	SD-RSI08-65	SD-RSI08-75	
3 1/2	90	101.6	38	SD-RSI09-13	SD-RSI09-19	SD-RSI09-25	SD-RSI09-32	SD-RSI09-38	SD-RSI09-50	SD-RSI09-65	SD-RSI09-75	
4	100	114.3	38	SD-RSI10-13	SD-RSI10-19	SD-RSI10-25	SD-RSI10-32	SD-RSI10-38	SD-RSI10-50	SD-RSI10-65	SD-RSI10-75	
5	125	141.3	38	SD-RSI11-13	SD-RSI11-19	SD-RSI11-25	SD-RSI11-32	SD-RSI11-38	SD-RSI11-50	SD-RSI11-65	SD-RSI11-75	
6	150	168.3	50	SD-RSI12-13	SD-RSI12-19	SD-RSI12-25	SD-RSI12-32	SD-RSI12-38	SD-RSI12-50	SD-RSI12-65	SD-RSI12-75	
8	200	219.1	50	SD-RSI13-13	SD-RSI13-19	SD-RSI13-25	SD-RSI13-32	SD-RSI13-38	SD-RSI13-50	SD-RSI13-65	SD-RSI13-75	
10	250	273.0	50	SD-RSI14-13	SD-RSI14-19	SD-RSI14-25	SD-RSI14-32	SD-RSI14-38	SD-RSI14-50	SD-RSI14-65	SD-RSI14-75	
12	300	323.8	50	SD-RSI15-13	SD-RSI15-19	SD-RSI15-25	SD-RSI15-32	SD-RSI15-38	SD-RSI15-50	SD-RSI15-65	SD-RSI15-75	
14	350	355.6	50	SD-RSI16-13	SD-RSI16-19	SD-RSI16-25	SD-RSI16-32	SD-RSI16-38	SD-RSI16-50	SD-RSI16-65	SD-RSI16-75	
16	400	406.4	50	SD-RSI17-13	SD-RSI17-19	SD-RSI17-25	SD-RSI17-32	SD-RSI17-38	SD-RSI17-50	SD-RSI17-65	SD-RSI17-75	
18	450	457.2	50	SD-RSI18-13	SD-RSI18-19	SD-RSI18-25	SD-RSI18-32	SD-RSI18-38	SD-RSI18-50	SD-RSI18-65	SD-RSI18-75	
20	500	508.0	50	SD-RSI19-13	SD-RSI19-19	SD-RSI19-25	SD-RSI19-32	SD-RSI19-38	SD-RSI19-50	SD-RSI19-65	SD-RSI19-75	
24	600	610.0	50	SD-RSI20-13	SD-RSI20-19	SD-RSI20-25	SD-RSI20-32	SD-RSI20-38	SD-RSI20-50	SD-RSI20-65	SD-RSI20-75	

Note:
 • Measurements are subject to %5 tolerance.
 • Other Sizes available on request.
 • Hot Dipped Galvanized can be supplied upon request.

Rubber Support Insert

Miscellaneous Data:

1. Ordering Information

Example: SD-RSI-4

- SD-RSI is the part number
- (4) Size

2. Contact Information

For further information on any aspect of the SHIELD Pipe Supports please contact below:

MIDDLE EAST & AFRICA	UNITED KINGDOM
Jebel Ali Free Zone, Dubai, UAE P.O Box: 61199 Tel.: +971 4 881 2070 Fax: +971 4 881 2198 Email: shieldme@shielglobal.com	Unit 3, Endeavor Drive, Basildon-Essex, SS3 14WF Tel.: +44 1708 377731 Fax: +44 1708347637 Email: shielduk@shielglobal.com