



Threaded Hex Reducing Nipple

Model: SDT - 111

SHIELD SDT-111 are most suitable for marine, pumping, commercial, domestic chemical and irrigation applications. Allow controlled angular and linear movement of the pipe to assist alignment and installation.




Product Specifications:

Available Size	1/8" - 4"
Material	Malleable Iron BS EN 1562
Max. Working Pressure	500psi
Application	Water and HVAC
Coating Finish	Black, Hot Dipped Galvanized
Threads	ANSI B1.20.1, BS 21 & ISO 7/1 (Taper)
Dimensions	BS EN 10242, BS 143 & 1256
Approvals/Listings	 

Threaded Hex Reducing Nipple

Product Dimensions:

Malleable Iron			
Nominal Size		A	
Inch	mm	Inch	mm
¼ x ⅙	8 x 6	1.22	31.0
⅜ x ¼	10 x 8	1.50	38.0
½ x ¼	15 x 8	1.73	44.0
½ x ⅜	15 x 10	1.73	44.0
¾ x ¼	20 x 8	1.85	47.0
¾ x ⅜	20 x 10	1.85	47.0
¾ x ½	20 x 15	1.85	47.0
1 x ½	25 x 15	2.09	53.0
1 x ¾	25 x 20	2.09	53.0
1¼ x ½	32 x 15	2.24	57.0
1¼ x ¾	32 x 20	2.24	57.0
1¼ x 1	32 x 25	2.24	57.0
1½ x ½	40 x 15	2.32	59.0
1½ x ¾	40 x 20	2.32	59.0
1½ x 1	40 x 25	2.32	59.0
1½ x 1¼	40 x 32	2.32	59.0
2 x ½	50 x 15	2.68	68.0
2 x ¾	50 x 20	2.68	68.0
2 x 1	50 x 25	2.68	68.0
2 x 1¼	50 x 32	2.68	68.0
2 x 1½	50 x 40	2.68	68.0
2½ x 1	65 x 25	2.95	75.0
2½ x 1¼	65 x 32	2.95	75.0
2½ x 1½	65 x 40	2.95	75.0
2½ x 2	65 x 50	2.95	75.0
3 x 1½	80 x 40	3.27	83.0
3 x 2	80 x 50	3.27	83.0
3 x 2½	80 x 65	3.27	83.0
4 x 2	100 x 50	3.43	87.0
4 x 2½	100 x 65	3.43	87.0
4 x 3	100 x 80	3.43	87.0



Hex Reducing Nipple

Threaded Hex Reducing Nipple

Miscellaneous Data:

1. Ordering Information

Example: SDT-111-1-2

- SDT-111 is the part number
- (1) Black (2) Hot Dipped Galvanized Coating
- (2) Size

2. Contact Information

For further information on any aspect of the SHIELD Threaded Fittings please contact below:

MIDDLE EAST & AFRICA	UNITED KINGDOM
Jebel Ali Free Zone, Dubai, UAE P.O Box: 61199 Tel.: +971 4 881 2070 Fax: +971 4 881 2198 Email: shieldme@shielglobal.com	Unit 3, Endeavor Drive, Basildon-Essex, SS3 14WF Tel.: +44 1708 377731 Fax: +44 1708347637 Email: shielduk@shielglobal.com