

# VIZA.EX6657 - Fittings, Grooved and Plain End

## Fittings, Grooved and Plain End

**SHIELD FIRE SAFETY & SECURITY LTD**

Unit 3, Endeavour Dr  
Basildon, SS14 3WF United Kingdom

EX6657

**Grooved**

Model	Type	Size In.	Rated Pressure (psig)
SDG 100	90 Degree Elbow	1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4, 5, 5-1/2 OD, 6, 6-1/2 OD, 8	500
SDG 100	90 Degree Elbow	33.7mm, 76.1mm	500
SDG 100	90 Degree Elbow	133.0mm, 267.4mm, 318.5mm	300
SDG 100	90 Degree Elbow	14, 16, 18, 20, 24	300
SDG 100	90 Degree Elbow	10	500
SDG 100	90 Degree Elbow	12	500
SDG 100H	90 Degree Elbow	114.3mm x 88.9mm x 33.7mm, 165.1mm x 88.9mm x 33.7mm;	300
SDG 105	90 Degree Short Elbow	2, 2-1/2, 3 OD, 3, 4, 5-1/2 OD, 6, 6-1/2 OD, 8	300
SDG 105	90 Degree Short Elbow	108.0 mm	500
SDG 105	90 Degree Short Elbow	159.0 mm, 216.3 mm	300
SDG 101R	90 Degree Reducing Elbow	88.9 x 76.1mm; 114.3 x 76.1mm, 88.9mm; 165.1 x 114.3mm; 168.3 x 114.3mm	300
SDG 200	45 Degree Elbow	1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4, 5-1/4OD, 5, 6, 6-1/2 OD, 8, 10, 12	500
SDG 200	45 Degree Elbow	33.7 mm	500

SDG 200	45 Degree Elbow	108.0mm, 139.7mm, 159.0mm, 216.3mm, 267.4mm, 318.5mm	300
SDG 200	45 Degree Elbow	14, 16, 18, 20, 24	300
SDG 12	Tee	1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4, 5, 6, 6-1/2 OD, 8, 10, 12	500
SDG 12	Tee	33.7mm, 76.1mm	500
SDG 12	Tee	133.0mm, 139.7mm, 267.4mm	300
SDG 12	Tee	14, 16, 18, 20, 24	300
SDG 53	Reducing Tee	2 x 1-1/2; 3 x 1, 1-1/2, 2, 2-1/2; 4 x 1, 2, 2-1/2, 3; 5 x 1-1/2, 2, 2-1/2, 3, 4; 6 x 2, 2-1/2, 3, 4, 5; 8 x 2, 2-1/2, 3, 4, 5, 6	500
		10 x 4	
		12 x 6	
SDG 53	Reducing Tee	60.3 x 33.7mm, 48.3mm; 73.0 x 48.3mm, 60.3mm; 76.1 x 42.4mm, 48.3mm, 60.3mm; 88.9 x 42.4mm, 48.3mm, 60.3mm, 73.0mm	500
		216.3 x 114.3mm	
SDG 53	Reducing Tee	14 x 8, 14 x 10, 14 x 2	300
SDG 53	Reducing Tee	219.1 x 60.3mm, 76.1mm, 88.9mm, 108.0mm, 114.3mm, 133.0mm, 139.7mm, 141.3mm, 159.0mm, 165.1mm; 168.3mm; 273.0 x 165.1mm, 168.3mm, 219.1mm; 323.9 x 165.1mm, 219.1mm, 273.0mm88.9 x 76.1mm; 108.0 x 60.3mm, 73.0mm, 88.9mm; 114.3 x 48.3mm, 76.1mm; 133.0 x 60.3mm, 76.1mm, 108.0mm, 114.3mm; 139.7 x 48.3mm, 60.3mm, 76.1mm, 88.9mm, 114.3mm; 159.0 x 60.3mm, 76.1mm, 88.9mm, 108.0mm, 114.3mm, 133.0mm; 165.1 x 60.3mm, 76.1mm, 88.9mm, 114.3mm, 133.0mm, 139.7mm, 159.0mm; 168.3 x 76.1mm, 139.7mm; 216.3 x 165.1mm;	300
SDG 53	Reducing Tee	114.3 x 33.7mm, 60.3mm, 73.0mm, 88.9mm;	365
		141.3 x 88.9mm, 114.3mm;	
		168.3 x 60.3mm, 73.0mm, 88.9mm, 114.3mm, 141.3mm	
SDG 53	Reducing Tee	10 x 4	500
SDG 53 A	Reducing Tee, Grooved	114.3mm x 88.9mm x 33.7mm, 165.1mm x 88.9mm x 33.7mm;	300
SDG 53 B	Reducing Tee, Grooved	114.3mm x 88.9mm x 33.7mm, 165.1mm x 88.9mm x 33.7mm;	300
SDG 102	Short Tee	2, 2-1/2, 3 OD, 3, 4, 5-1/2 OD, 6, 6-1/2 OD, 8	300

SDG 102	Short Tee	108.0 mm	500
SDG 102	Short Tee	159.0 mm, 216.3 mm	300
SDG 12 TH	Tee	88.9mm, 114.3mm, 168.3mm	300
SDG 53 TH	Reducing Tee	60.3 x 33.7mm, 48.3mm; 73.0 x 33.7mm, 42.4mm; 76.1 x 33.7mm, 42.4mm, 48.3mm, 60.3mm; 88.9 x 33.7mm, 42.4mm, 48.3mm, 60.3mm, 76.1mm	500
SDG 53 TH	Reducing Tee	108.0 x 60.3mm, 76.1mm, 88.9mm; 114.3 x 33.7mm, 42.4mm, 48.3mm, 60.3mm, 76.1mm, 88.9mm; 133.0 x 60.3mm, 76.1mm, 88.9mm; 139.7 x 33.7mm, 42.4mm, 48.3mm, 60.3mm, 76.1mm, 88.9mm; 159.0 x 60.3mm, 76.1mm, 88.9mm; 165.1 x 33.7mm, 42.4mm, 48.3mm, 60.3mm, 76.1mm, 88.9mm, 114.3mm; 168.3 x 60.3mm, 76.1mm, 88.9mm	300
SDG 13	Cross	1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4, 5, 6, 6-1/2 OD, 8, 10, 12	500
SDG 13	Cross	108.0 mm, 139.7 mm, 159.0 mm	300
SDG 13	Reducing Cross	88.9 x 60.3 mm	500
SDG 13	Reducing Cross	114.3 x 60.3 mm, 88.9 mm; 139.7 x 114.3 mm; 159.0 x 108.0 mm; 165.1 x 60.3 mm, 76.1 mm, 88.9 mm, 114.3 mm; 219.1 x 60.3 mm, 114.3 mm, 139.7 mm, 159.0 mm, 165.1 mm	300
SDG 13R	Reducing Cross	88.9 x 60.3mm	500
SDG 13R	Reducing Cross	114.3 x 60.3mm, 88.9mm; 139.7 x 114.3mm; 159.0 x 108.0mm; 165.1 x 60.3mm, 76.1mm, 88.9mm, 114.3mm; 219.1 x 60.3mm, 114.3mm, 139.7mm, 159.0mm, 165.1mm	300
SDG 13 RTH	Cross	114.3 x 33.7mm, 42.4mm, 48.3mm, 60.3mm; 165.1 x 60.3mm	300
SDG 35	Grooved Concentric Reducer	12 x 6, 8, 102 x 3/4, 1, 1-1/4, 1-1/2; 2-1/2 x 1, 1-1/4, 1-1/2, 2; 3 x 3/4, 1, 1-1/2, 2, 2-1/2; 4 x 1, 1-1/2, 2, 2-1/2, 3; 5 x 3, 4; 6 x 1, 2, 2-1/2, 3, 4, 5; 8 x 2-1/2, 3, 4, 5, 610 x 6, 8;	500

SDG 35	Grooved Concentric Reducer	219.1 x 108mm 42.4 x 33.7mm; 48.3 x 33.7mm, 42.4mm; 76.1 x 33.7mm, 42.4mm, 48.3mm, 60.3mm; 88.9 x 76.1mm; 108.0 x 60.3mm, 73.0mm, 88.9mm 141.3 x 76.1mm 165.1 x 108mm;	500
SDG 35	Grooved Concentric Reducer	88.9 x 42.4mm; 133.0 x 108.0mm, 114.3mm; 139.7 x 60.3mm;  141.3 x 88.9mm, 114.3mm	365
SDG 35	Grooved Concentric Reducer	108.0 x 76.1mm; 114.3 x 42.4mm, 76.1mm; 139.7 x 76.1mm, 88.9mm, 114.3mm; 141.3 x 73.0mm; 159.0 x 60.3mm, 76.1mm, 88.9mm, 108.0mm, 114.3mm, 133.0 mm; 165.1 x 60.3mm, 76.1mm, 88.9mm, 114.3mm, 139.7mm; 168.3 x 76.1mm, 139.7mm; 216.3 x 114.3mm, 165.1mm; 219.1 x 108.0mm, 139.7mm, 159.0mm, 165.1mm; 273.0 x 159.0mm, 165.1mm	300
SDG 35	Grooved Concentric Reducer	14 x 8, 14 x 10, 14 x 12	300
SDG 37	Concentric Reducer - FNPT	2 x 3/4, 1, 1-1/4, 1-1/2; 2-1/2 x 1, 1-1/4, 1-1/2, 2; 3 x 3/4, 1, 1-1/2, 2, 2-1/2; 4 x 1, 1-1/2, 2, 2-1/2, 3; 5 x 3, 4; 6 x 1, 2, 2-1/2, 3, 4, 5; 8 x 2-1/2, 3, 4, 5, 6	500
SDG 37	Concentric Reducer With Female Thread	76.1 x 21.3 mm, 26.9 mm, 33.7 mm, 42.4 mm, 48.3 mm, 60.3 mm	500
SDG 37	Concentric Reducer With Female Thread	88.9 x 42.4 mm, 76.1 mm; 108.0 x 33.7 mm, 42.4 mm, 48.3 mm, 60.3 mm, 76.1 mm, 88.9 mm; 114.3 x 21.3 mm, 26.9 mm, 42.4 mm, 76.1 mm; 159.0 x 26.9 mm, 33.7 mm, 42.4 mm, 48.3 mm, 60.3 mm, 88.9 mm, 114.3 mm; 165.1 x 21.3 mm, 26.9 mm, 33.7 mm, 42.4 mm, 48.3 mm, 60.3 mm, 76.1 mm, 88.9 mm, 114.3 mm; 219.1 x 48.3 mm, 60.3 mm, 76.1 mm	300
SDG 39	Concentric Reducer - MNPT	2 x 3/4, 1, 1-1/4, 1-1/2; 2-1/2 x 1, 1-1/4, 1-1/2, 2; 3 x 3/4, 1, 1-1/2, 2, 2-1/2; 4 x 1, 1-1/2, 2, 2-1/2, 3; 5 x 3, 4; 6 x 1, 2, 2-1/2, 3, 4, 5; 8 x 2-1/2, 3, 4, 5, 6	500
SDG 39	Concentric Reducer - MNPT	76.1 x 60.3 mm	500
SDG 14	Cap	1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4, 5, 5-1/2 OD, 6, 6-1/2 OD, 8, 10, 12	500
SDG 14	Cap	33.7mm	500
SDG 14	Cap	108.0mm, 133.0mm, 139.7mm, 159.0mm, 216.3mm	300

SDG 14	Cap	76.1 x 48.3mm	500
		168.3 x 21.3mm, 60.3mm;	
		219.1 x 33.7mm	
SDG 14	Cap	88.9 x 60.3mm;	365
		114.3 x 60.3mm;	
		139.7 x 60.3mm;	
		165.1 x 60.3mm	
SDG 14	Cap	88.9 x 21.3mm, 33.7mm, 48.3mm; 114.3 x 21.3mm, 33.7mm, 48.3mm; 165.1 x 21.3mm, 33.7mm; 168.3 x 48.3mm	300
SDG 14	Cap	14	300
SDG 14A	Cap	88.9 x 48.3mm, 60.3mm; 114.3 x 48.3mm, 60.3mm; 139.7 x 48.3mm, 60.3mm; 165.1 x 48.3mm; 168.3 x 48.3mm, 60.3mm	365
SDG 14A	Cap	219.1 x 48.3mm, 60.3mm	300
SDG 16B	Flange Adapter	2, 2-1/2, 3 OD, 3, 4, 5, 5-1/2 OD, 6, 6-1/2 OD, 8	300
SDG 16B	Flange Adapter	10, 12	225
SDG 16B	Flange Adapter	33.7mm, 42.4mm, 48.3mm, 60.3mm, 73.0mm, 76.1mm, 88.9mm, 108.0mm, 114.3mm, 133.0mm, 139.7mm, 141.3mm, 159.0mm, 165.1mm, 168.3mm	300
SDG 16B	Flange Adapter	219.1mm, 273.1mm, 323.9mm	225
SDG 16 C	Flange Adapter	108.0mm, 159.0mm	300
SDG 16 A	Flange Adapter	219.1mm, 273.0mm	225
SDG 16	Flange Adapter	2, 2-1/2, 3 OD, 3, 4, 5, 6, 6-1/2 OD, 8	300
SDG 16	Flange Adapter	10, 12	225
SDG 16	Flange Adapter	33.7 mm, 42.4 mm, 48.3 mm, 108.0 mm, 133.0 mm, 159.0 mm	300
SDG 112	11.25 Degree Elbow	42.4 mm, 48.3 mm, 60.3 mm, 76.1 mm, 88.9 mm	500
SDG 112	11.25 Degree Elbow	108.0 mm, 114.3 mm, 139.7 mm, 159.0 mm, 165.1 mm, 168.3 mm, 219.1 mm	300

SDG 225	22.5 Degree Elbow	42.4 mm, 48.3 mm, 60.3 mm, 73.0 mm, 76.1 mm, 88.9 mm	500
SDG 225	22.5 Degree Elbow	108.0 mm, 114.3 mm, 139.7 mm, 159.0 mm, 165.1 mm, 168.3 mm, 219.1 mm	300
SDG 33	Grooved Eccentric Reducer	88.9 x 60.3mm; 108.0 x 76.1mm, 88.9mm; 114.3 x 60.3mm, 88.9mm	500
		168.3 x 141.3mm;	
		219.1 x 159.0mm, 165.1mm, 168.3mm	
SDG 33	Grooved Eccentric Reducer	114.3 x 76.1mm; 139.7 x 114.3mm; 159.0 x 108.0mm, 114.3mm; 165.1 x 88.9mm, 114.3mm, 139.7mm; 168.3 x 88.9mm, 114.3mm, 139.7mm; 219.1 x 114.3mm, 168.3mm; 273.1 x 219.1mm	300
SDG 33	Grooved Eccentric Reducer	14 x 8, 14 x 10, 14 x 12	300
SDG 33 TH	Grooved Eccentric Reducer With FeMale Thread	108.0 x 76.1mm	500
SDG 33 TH	Grooved Eccentric Reducer With FeMale Thread	114.3 x 76.1mm; 139.7 x 88.9mm; 165.1 x 88.9mm	300
SDGL 105	90 Degree Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
SDGL 105	90 Degree Elbow	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 216.3 mm, 8, 10, 12	300
SDGL 100	90 Degree Elbow	1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
SDGL 100	90 Degree Elbow	6-1/2 OD, 6, 8, 10, 12	300
SDGL 200	45 Degree Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
SDGL 200	45 Degree Elbow	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 216.3 mm, 8, 10, 12	300
SDGL 225	22.5 Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
SDGL 225	22.5 Elbow	5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
SDGL 112	11.25 Elbow	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400

SDGL 112	11.25 Elbow	5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
SDGL 102	Tee	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
SDGL 102	Tee	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 216.3 mm, 8, 10, 12	300
SDGL 12	Tee	1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
SDGL 12	Tee	5-1/2 OD, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
SDGL 53	Reducing Tee	3 ODx2, 3x3 OD, 5x2, 5x3 OD, 5x3, 8x3 OD, 8x3, 8x5	232
SDGL 53	Reducing Tee	2x1, 2x1-1/4, 2x1-1/2, 2-1/2x1, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3x1, 3x1-1/4, 3x1-1/2, 3x2, 3x2-1/2, 4x1, 4x1-1/4, 4x1-1/2, 4x2, 4x2-1/2, 4x3 OD, 4x3	400
SDGL 53	Reducing Tee	5-1/2 ODx1, 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x1, 6x1-1/4, 6x1-1/2, 6x2, 6x3 OD, 6x3, 6x4, 8x4, 8x6-1/2 OD, 8x6, 10x6, 10x8, 12x4, 12x6, 12x8, 12x10	300
SDGL 53TH	Reducing Tee Threaded	1-1/4x1, 1-1/2x1, 1-1/2x1-1/4, 3 ODx2, 3x3 OD, 4x3 OD, 5x1, 5x1-1/4, 5x1-1/2, 5x2, 5x3 OD	232
SDGL 53TH	Reducing Tee Threaded	2x1, 2x1-1/4, 2x1-1/2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3x1, 3x1-1/4, 3x1-1/2, 3x2, 4x1, 4x1-1/4, 4x1-1/2, 4x2, 4x3 OD, 4x3, 5-1/2 ODx1, 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x1, 6x1-1/4, 6x1-1/2, 6x2, 6x3 OD, 6x3, 6x4	300
SDGL 53TH	Reducing Tee Threaded	2-1/2x1, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2	400
SDGL 13	Cross	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
SDGL 13	Cross	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
SDGL 14	Cap	1, 1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4	400
SDGL 14	Cap	5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
SDGL 14TH	Cap	4x1, 6-1/2 ODx1, 6x1, 8x1, 10x1	300
SDGL 35	Concentric Reducer Grooved Outlet	1-1/2x1-1/4, 3x3 OD, 5x2, 5x3 OD, 5x4, 6-1/2 ODx5, 8x5, 8x6-1/2 OD	232
SDGL 35	Concentric Reducer Grooved Outlet	1-1/4x1, 1-1/2x1, 2x1, 2x1-1/4, 2x1-1/2, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3 ODx2, 3x1-1/4, 3x1-1/2, 3x2, 3x2-1/2, 3x3 OD, 4x1-1/4, 4x1-1/2, 4x2, 4 x 2-1/2, 4x3 OD, 4x3	400

SDGL 35	Concentric Reducer Grooved Outlet	5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 5-1/2 ODx4, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x2, 6x2-1/2, 6x3 OD, 6x3, 6x4, 6x5-1/2 OD, 8x2, 8x2-1/2, 8x3 OD, 8x3, 8x4, 8x5-1/2 OD, 8x6, 10x4, 10x6, 10x8	300
SDGL 37	Concentric Reducer Threaded Outlet	1-1/2x1, 3x3 OD, 5x1, 5x1-1/4, 5x2, 5x3 OD	232
SDGL 37	Concentric Reducer Threaded Outlet	2x1, 2x1-1/4, 2x1-1/2, 3 ODx1, 3 ODx1-1/4, 3 ODx1-1/2, 3 ODx2, 3x1, 3x1-1/4, 3x1-1/2, 3x2, 4x1, 4x1-1/4, 4x1-1/2, 4x2, 4x3 OD, 4x3, 5-1/2 ODx1, 5-1/2 ODx1-1/4, 5-1/2 ODx1-1/2, 5-1/2 ODx2, 5-1/2 ODx3 OD, 5-1/2 ODx3, 6-1/2 ODx1, 6-1/2 ODx1-1/4, 6-1/2 ODx1-1/2, 6-1/2 ODx2, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6x1, 6x1-1/4, 6x1-1/2, 6x2, 6x3 OD, 6x3, 6x4, 8x1, 8x1-1/4, 8x1-1/2, 8x2, 8x3 OD, 8x3, 8x4	300
SDGL 37	Concentric Reducer Threaded Outlet	2-1/2x1, 2-1/2x1-1/4, 2-1/2x1-1/2, 2-1/2x2	400
SDGL 33	Eccentric Reducer	3x2, 3x2-1/2, 3x3 OD, 4x2, 4x2-1/2, 4x3 OD, 4x3	400
SDGL 33	Eccentric Reducer	5-1/2 ODx3 OD, 5-1/2 ODx3, 5-1/2 ODx4, 6-1/4 ODx2, 6-1/4 ODx3 OD, 6-1/4 ODx3, 6-1/4 ODx4-1/4 OD, 6-1/4 ODx4, 6-1/2 ODx3 OD, 6-1/2 ODx3, 6-1/2 ODx4, 6-1/2 ODx5-1/2 OD, 6x3, 6x4, 6x5-1/2 OD, 8x3, 8x4, 8x5-1/2 OD, 8x6-1/2 OD, 8x6, 10x6-1/2 OD, 10x6, 10x8	300
SDGL 16B	Flange Adaptor, Grooved	2, 2-1/2, 3 OD, 3, 4-1/4 OD, 4, 5-1/4 OD, 5-1/2 OD, 5, 6-1/4 OD, 6-1/2 OD, 6, 8, 10, 12	300
SDGL 15TH	Flange Adaptor, Threaded	2, 3 OD, 3, 4	300
SDGL 114	Adapter Elbow	1-1/4x1/2, 1-1/4x3/4, 1-1/4x1, 1-1/2x1/2, 1-1/2x3/4, 1-1/2x1, 2x1/2, 2x3/4, 2x1, 2-1/2x1/2, 2-1/2x3/4, 2-1/2x1	500
SDGL 11	Adapter Nipple	1-1/2, 2	500
SDGL 111	Reducing Adapter Nipple	1-1/2x1, 2x1-1/2	500
SDGL 14A	Drain Cap	2x1, 2x1-1/2, 2-1/2x1, 3 ODx1-1/2, 3 ODx 2, 3x1, 3x1-1/2, 3x2, 4x1, 4x1-1/2, 4x2, 5-1/2 ODx2, 6x1, 6x2, 8x2	300
SDGL 16D	Flange Adapter	2, 2-1/2, 3, 4, 5, 6, 8, 10, 12	300
SDG 101	90 Degree Reducing Elbow	88.9 x 76.1mm;	300
		114.3 x 76.1mm, 88.9mm;	
		165.1 x 114.3mm;	
		168.3 x 114.3mm	
SDG 101	90 Degree Reducing Elbow		4x3 500
SDG 114	90 Degree Reducing Elbow		1-1/4 x 1/2, 3/4, 1; 500



			1-1/2 x 1/2, 3/4, 1;	
			2 x 1/2, 3/4, 1;	
			2-1/2 x 1/2, 3/4, 1;	
			3 x 3/4, 1	
SDG 13RTH	Cross		114.3 x 33.7mm, 42.4mm, 48.3mm, 60.3mm;	300
			165.1 x 60.3mm	
SDG 13RTH	Reducing Cross, Threaded		3OD x 2;	500
			3 x 1-1/2, 2;	
			4 x 3OD, 3;	
			6-1/2OD x 1-1/2	
SDG 16D	Flange Adapter		2, 4, 8, 10, 14, 16, 18, 20, 24	300
SDG 16C	Flange Adapter		159.0mm	300
SDG 16C	Flange Adapter	14, 16		300
SDG 16C	Flange Adapter		4-1/4OD(108mm), 4, 6-1/2OD(165.1mm), 8	365

Trademark and/or Tradename: "SHIELD",  , **SHIELD** , **SHIELD** , **SD**

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."